



Store at -20°C. Stable for at least 50 freeze-thaw cycles. It is also stable at 4°C for 30 days.

#### Volume:

1250 μl (for 250 App.)

## **Description:**

This marker consists of 10 fragments, and ready to use: 100bp, 200bp, 300bp, 400bp, 500bp, 600bp, 700bp, 800bp, 900bp, 1000bp.

The approximate mass of DNA in each of the bands is  $\sim 10 \text{ng/µl}$ , except the 500 base pair band has increased intensity (30 ng/µl) to serve as reference points.

They are all double-stranded DNA fragments.

# 10X Gel Loading Dye, Blue:


50% Glycerol 100 mM EDTA 33 mM Tris-HCl (pH 8.0 at 25°C) 0.15% bromophenol blue

### **Usage notes:**

We recommend loading  $5\mu l$  of 100bp DNA Ladder for each lane.

Add 1/10 volume of 10×Loading Buffer with DNA solution to apply on agarose gel electrophoresis. In case precipitates generated during the storage at room temperature, dissolve in warm bath before use.

This ladder was not designed for precise quantification of DNA mass but can be used for approximating the mass of DNA in comparably intense samples of similar size.



100 bp DNA Ladder visualized by ethidium bromide staining on a 1.3% TAE agarose gel.

### **Product Use Limitations:**

This product is developed, designed and sold exclusively for research purposes and in vitro use only.